

INNOVATIVELY THOUGHT THROUGH

Powerful, intelligent





AMAZONE

The new Pantera 7004



24 m – 48 m



6,600 l



up to 96 part-width
sections



610 l/min
pump capacity

Powerful, intelligent

The Pantera 7004 self-propelled crop protection sprayer combines high performance with first-rate driving characteristics and is ideal for large-scale farms and contractors who place the highest demands on efficiency and comfort. The outstanding features of this new machine are its large tank capacity and the newly developed running gear.



OUTPUT

High output!

High nominal tank volume of 6,600 l and wide boom widths - up to 48 m with working speeds of up to 30 km/h.

Compact design and minimal turning circle for the utmost efficiency, even in smaller fields.



FLEXIBILITY

Flexible!

Hydraulic track width adjustment and a wide variety of boom options for many different areas of application.

Low centre of gravity and extremely robust running gear with automatic slope compensation.



COMFORT

Comfortable!

Lightweight design and large tyre sizes with optimum weight distribution.

Ultra-modern chassis and cab technology as well as user-friendly operation.




MORE INFORMATION

www.amazone.net/pantera-7004



PRODUCT FILM

Pantera 7004





AMAZONE





AMAZONE

Pantera 7004

40

Pantera

Pantera 4504 – compact, intelligent, with a nominal volume of 4,500 l



21 m – 48 m



4,500 l



up to 96 part-width
sections




520 l/min
pump capacity

Pantera 4504




Track width adjustment:
1.80 – 2.40 m

Pantera 4504-H




Track width adjustment:
1.80 – 2.40 m (lowered)
2.10 – 2.60 m (raised)

Pantera 4504-W



Track width adjustment:
2.25 – 3.00 m

Pantera 4504-HW



Track width adjustment:
2.25 – 3.00 m (lowered)
2.45 – 3.20 m (raised)

Illustrations, content and technical data are not binding and may differ depending on the level of equipment. Country-specific road traffic regulations apply and must be complied with, meaning that special approval may be required.



AMAZONEN-WERKE H. DREYER SE & Co. KG
P. O. Box 51 · 49202 Hasbergen-Gaste/Germany
Phone +49 (0)5405 501-0 · Fax +49 (0)5405 501-193

Printed in Germany

www.amazone.net

Email: amazone@amazone.net

More information can be
found at www.amazone.net
or on social media



MI9927 (en_II) 01.24