

**Correctly
metered your
seed is worth its
weight in gold!**



Gild your seed!



New mechanical metering system Vario-Control for D9 mounted seed drills and AD3 Pack Top seed drills

The technical advances in breeding new seed varieties has resulted in maximum yields even at lower seed densities. Simultaneously with this reduction in seed density has increased the demand on metering quality.

With this in mind AMAZONE will introduce at Agritechnica 2007 the new Vario Control metering for D9 mounted and AD3 Pack Top seed drills. With the new Vario-Control metering system the accuracy of the desired seed rate and the even distribution along the seed row is further improved and this improvement can also lead to the saving of even more seed.

The new **Vario-Control** metering system has been optimised in regard to behaviour of both delivery and longitudinal distribution and this has been achieved by the 80 mm **Control** seed wheels in conjunction with the newly designed bottom flaps and the metering housings. Because of the large diameter seed wheels the seed is singled during the metering procedure making for a very gentle handling. The infinitely variable **Vario** gearbox ensures a perfectly even drive.


The new metering system offers the advantage that not only fine seeds like rape are metered more precisely, but also large seeds which are applied at low seed rates (e.g. hybrid rye or the developing energy crops) are singled more precisely.

Harmony that pays off in gold!


- ⚙️ **Accurate metering along the row and in the rate**
- ⚙️ **Saving of seed**
- ⚙️ **Gentle handling – no seed damage**
- ⚙️ **Accurate at small rates**



Control seed wheels



Vario gearbox



Vario- Control for utmost precision



Fine seed metering wheel



Rape



Mustard




Flax/linseed

Normal seed metering wheel



Wheat



Barley



Rye/
Hybrid rye



D9 gravity mounted seed drill



AD3 gravity Pack Top seed drill



AMAZONEN-WERKE H. DREYER GmbH & Co. KG · P. O. Box 51 · D-49202 Hasbergen-Gaste/Germany
 Phone +49 (0)5405 501-0 · Fax +49 (0)5405 501-193

MI 1672 (GB) 10.07
 Printed in Germany

www.amazone.de

www.amazone.co.uk

E-Mail: amazone@amazone.de